



# *Camoplast*

*#1 IN TRACKS*



2  
0  
0  
6

*Teo Luhtimäki Oy*



## Takuu koskee vain valmistusvikoja



Toim.joht. Jouni Rouru, Camoplast Finntrack Oy  
Project manager, Stephane Pillette, Powersport, Camoplast  
Manager, Bruce Dashnaw, Sales & Marketing Powersport Aftermarket, Camoplast  
Director, Denis Courtemanche, Product and Technological Development, Camoplast  
Toim.joht. Teo Lehtimäki, Teo Lehtimäki Oy

Ylläoleva porukka keskusteli 18.11.2005 Camoplastin suunnittelukeskuksessa ja päätti tuoda seuraavat asiat selvästi kauppiaiden sekä matonkäyttäjien tietoon:

1. Nämä matot, siis Camoplast, Predator, Challenger ovat aina joko yhtä hyviä tai parempia kuin alkuperäiset moottorikelkan matot. Ne on tehty aina parhaalla reseptillä ja käytetty parhaita kuituja. Ne voi huoletta asentaa mihin tahansa moottorikelkkaan, kestävät.
2. Kelkkojen alkuperäiset matot suunnitellaan usein sopivaksi johonkin tiettyyn malliin, kun taas jälkimarkkinoinnin matot suunnitellaan aina vaativimman käyttökohteen mukaan, koska kelkkaa, johon telamatto käytetään, ei ole tiedossa toisin kuin ensiasennuksen ollessa kyseessä.
3. Kahden vuoden takuu koskee niitä mattoja, joiden kohdalla on tuo 2 years warranty-leima. Se koskee vain valmistusvikoja eikä esim. puikkojen katkeamisia, nastojen irtoamisia, harjan irtoamista kankaista tai mekaanista vauriota. Muissa takuu i vuosi, valmistusvioille.
4. Jos mielestäsi on kyseessä valmistusvika, matto toimitetaan Tampereen tehtaalle tarkastukseen.
5. Nämä matot parantavat useimmiten kelkkasi suorituskykyä, pyörivät notkeast ja pitävät hyvin. Lisää mattotietoutta kuvagalleriassa ja pian ilmestyvällä videolla.

# THE DITCH BANGER'S ADVANTAGE

Not everyone wants smooth trails. If you love banging the bumps, going hard and pushing it, we have your track. Camoplast cross-country tracks are built and tested tough to take on the nastiness of the hard-core terrain.




## Crossover | Engineered for superior performance in both trail and powder terrain

NEW



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9003C | 15" x 144" (38 cm x 366 cm) | 1.5" (3,8 cm)  | 47 lbs (21 kg)  | Pace 3       | On / Off Trail  |
| 9004C | 15" x 151" (38 cm x 384 cm) | 1.5" (3,8 cm)  | 49 lbs (22 kg)  | Pace 3       | On / Off Trail  |
| 9005C | 15" x 159" (38 cm x 403 cm) | 1.5" (3,8 cm)  | 51 lbs (23 kg)  | Pace 3       | On / Off Trail  |

## Predator | Mid-height profile for aggressive exploring and ditch banging



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config.          | Recommended Use     |
|-------|-----------------------------|----------------|-----------------|-----------------------|---------------------|
| 9873C | 15" x 144" (38 cm x 366 cm) | 1.25" (3,2 cm) | 43 lbs (20 kg)  | Every 3 <sup>rd</sup> | Powder / Soft Trail |
| 9874C | 15" x 151" (38 cm x 384 cm) | 1.25" (3,2 cm) | 46 lbs (21 kg)  | Every 3 <sup>rd</sup> | Powder / Soft Trail |

## Intense | Aggressive performance on and off the trail for standard length applications. The ditch bangers delight



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config.          | Recommended Use |
|-------|-----------------------------|----------------|-----------------|-----------------------|-----------------|
| 9800C | 15" x 136" (38 cm x 345 cm) | 1.5" (3,8 cm)  | 41 lbs (19 kg)  | Every 3 <sup>rd</sup> | Trail / Powder  |
| 9803C | 15" x 121" (38 cm x 307 cm) | 1.5" (3,8 cm)  | 36 lbs (16 kg)  | Every 3 <sup>rd</sup> | Trail / Powder  |
| 9930C | 15" x 121" (38 cm x 307 cm) | 1.5" (3,8 cm)  | 40 lbs (18 kg)  | Full                  | Trail / Powder  |

## Challenger / Trail | Deeper lug design for maximum on/off trail exploring



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use         |
|-------|-----------------------------|----------------|-----------------|--------------|-------------------------|
| 9933C | 16" x 136" (41 cm x 345 cm) | 1.75" (4,5 cm) | 48 lbs (22 kg)  | Full         | Trail / Powder Mountain |


# MORE POWER TO THE SNOW!

There's nothing like squeezing the trigger on your sled and getting high performance response. The pull is instant and gratifying and it comes from getting the power to the snow - Acceleration, stability, and reliability exactly what Camoplast tracks are designed to do.



## RipSaw

Highly aggressive with angled profiles for outstanding forward and lateral bite. Superior handling and acceleration in a wide variety of snow conditions.



| Model     | Track Dimensions              | Profile Height | Shipping Weight  | Clip Config. | Recommended Use |
|-----------|-------------------------------|----------------|------------------|--------------|-----------------|
| 9921H     | 15" x 121" (38 cm x 307 cm)   | 1.25" (3,2 cm) | 36 lbs (16 kg)   | Every 3"     | Trail           |
| 9922H     | 15" x 136" (38 cm x 345 cm)   | 1.25" (3,2 cm) | 40 lbs (18 kg)   | Every 3"     | Trail           |
| 9923H     | 15" x 144" (38 cm x 366 cm)   | 1.25" (3,2 cm) | 42 lbs (19 kg)   | Every 3"     | On / Off Trail  |
| 9924H     | 15" x 151" (38 cm x 384 cm)   | 1.25" (3,2 cm) | 46 lbs (21 kg)   | Every 3"     | On / Off Trail  |
| 9925H     | 15" x 159" (38 cm x 404 cm)   | 1.25" (3,2 cm) | 49 lbs (22 kg)   | Every 3"     | On / Off Trail  |
| 9955H144* | 15" x 121" (38 cm x 307 cm)   | 1.25" (3,2 cm) | 36 lbs (16 kg)   | Every 3"     | Trail           |
| 9967H162* | 15" x 136" (38 cm x 345 cm)   | 1.25" (3,2 cm) | 40 lbs (18 kg)   | Every 3"     | Trail           |
| 9968H     | 15" x 121" (38 cm x 307 cm)   | 1.25" (3,2 cm) | 39 lbs (18 kg)   | Full         | Trail           |
| 9969H     | 15" x 136" (38 cm x 345 cm)   | 1.25" (3,2 cm) | 43.5 lbs (20 kg) | Full         | Trail           |
| 9953H     | 15" x 128" (38 cm x 325 cm)   | 1.25" (3,2 cm) | 41 lbs (19 kg)   | Full         | Trail           |
| 9001H     | 13.5" x 128" (34 cm x 307 cm) | 1.25" (3,2 cm) | 34 lbs (15 kg)   | Every 3"     | Trail           |
| 9006H     | 15" x 144" (38 cm x 366 cm)   | 1.25" (3,2 cm) | 45 lbs (20 kg)   | Full         | On / Off Trail  |
| 9007H     | 15" x 15" (38 cm x 384 cm)    | 1.25" (3,2 cm) | 49 lbs (22 kg)   | Full         | On / Off Trail  |

\* TRACKtion Control System™

## HackSaw

Rip Saw derivative featuring crescent profiles with recessed tips and cutting edges for hard packed snow. Excellent handling characteristics



| Model     | Track Dimensions              | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-----------|-------------------------------|----------------|-----------------|--------------|-----------------|
| 9960H     | 13.5" x 128" (34 cm x 384 cm) | 1.0" (2,5 cm)  | 31 lbs (14 kg)  | Every 3"     | Trail           |
| 9009H     | 15" x 121" (38 cm x 307 cm)   | 1.0" (2,5 cm)  | 33 lbs (15 kg)  | Pace 3       | Trail           |
| 9009H144* | 15" x 121" (38 cm x 307 cm)   | 1.0" (2,5 cm)  | 33 lbs (15 kg)  | Pace 3       | Trail           |
| 9010H     | 15" x 136" (38 cm x 345 cm)   | 1.0" (2,5 cm)  | 38 lbs (17 kg)  | Pace 3       | Trail           |

\* TRACKtion Control System™

**Predator** | Engineered for superior acceleration and top speed, particularly in loose snow conditions.



| Model     | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use     |
|-----------|-----------------------------|----------------|-----------------|--------------|---------------------|
| 9818H     | 15" x 121" (38 cm x 307 cm) | 1.25" (3 cm)   | 36 lbs (16 kg)  | Every 3"     | Powder / Soft Trail |
| 9819H     | 15" x 136" (38 cm x 345 cm) | 1.25" (3 cm)   | 43 lbs (20 kg)  | Every 3"     | Powder / Soft Trail |
| 9828H     | 15" x 121" (38 cm x 307 cm) | 1.25" (3 cm)   | 37 lbs (17 kg)  | Every 3"     | Powder / Soft Trail |
| 9833H     | 15" x 121" (38 cm x 307 cm) | 1.25" (3 cm)   | 39 lbs (18 kg)  | Fully        | Powder / Soft Trail |
| 9834H     | 15" x 136" (38 cm x 345 cm) | 1.25" (3 cm)   | 45 lbs (20 kg)  | Fully        | Powder / Soft Trail |
| 9830H     | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 34 lbs (15 kg)  | Every 3"     | Trail               |
| 9831H     | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 39 lbs (18 kg)  | Every 3"     | Trail               |
| 9837H     | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 37 lbs (17 kg)  | Fully        | Trail               |
| 9838H     | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 42 lbs (19 kg)  | Fully        | Trail               |
| 9830H144* | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 34 lbs (15 kg)  | Every 3"     | Trail               |
| 9831H162* | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 39 lbs (18 kg)  | Every 3"     | Trail               |
| 9837H144* | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 37 lbs (17 kg)  | Fully        | Trail               |
| 9838H162* | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 42 lbs (19 kg)  | Fully        | Trail               |


\* TRACKtion Control System™

**Connected-Cone** | Engineered to provide maximum acceleration for trail sleds. Ideal for snow drags.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use     |
|-------|-----------------------------|----------------|-----------------|--------------|---------------------|
| 9854H | 15" x 121" (38 cm x 307 cm) | 1.25" (3 cm)   | 37 lbs (17 kg)  | Every 3"     | Powder / Soft Trail |
| 9858H | 15" x 136" (38 cm x 345 cm) | 1.25" (3 cm)   | 42 lbs (19 kg)  | Every 3"     | Powder / Soft Trail |

**TrailSport** | General replacement track, the 91-inch three-pitch lug design provides improved traction over most older OEM tracks




| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9878H | 15" x 121" (38 cm x 307 cm) | .91" (2,3 cm)  | 38 lbs (17 kg)  | Fully        | Trail           |

**TRACKtion Control System™**

*Looking for performance, stability and reliability, you'll have it with the TRACKtion Control System. Our Pre-Holed tracks are built to last longer and are designed with your needs in mind.*

**Benefits**

- Ease of installation, no drilling
- Precision holes and layout
- Belting enhanced for added durability
- Camoplast manufacturer warranty



# ICE TECH SERIES

Camoplast delivers traction with the all new revolutionary **Ice Control Enhancement Technology** series of tracks. A turn key solution to performance gains and safer riding with confidence from Camoplast, #1 in Traction.

**Factory Pre-Studded | Cost effective | Lightweight | Manufacturer Warranty**

## Ice Claw™ | Turnkey solution for traction enhancement with 1" profile height.

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9928H | 15' x 121" (38 cm x 307 cm) | 1" (2,5 cm)    | 36 lbs (16 kg)  | Pace 3       | Trail           |
| 9950H | 15' x 136" (38 cm x 345 cm) | 1" (2,5 cm)    | 40 lbs (18 kg)  | Pace 3       | Trail           |



9928H 240 Studs  
9950H 270 Studs

## Ice Ripper™ | Factory Pre-Studded Ripsaw. The ultimate all-in-one HI Performance Trail Track.

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9993H | 15' x 121" (38 cm x 307 cm) | 1.25" (3 cm)   | 37 lbs (17 kg)  | Pace 3       | Trail           |
| 9000H | 15' x 136" (38 cm x 345 cm) | 1.25" (3 cm)   | 41 lb (19 kg)   | Pace 3       | Trail           |



9993H 256 Studs  
9000H 288 Studs

## Ice WideTrack™ | Utility machine application for ice — hard pack conditions

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use       |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------------|
| 9008U | 20' x 156" (51 cm x 396 cm) | 1.25" (3 cm)   | 72 lbs (33 kg)  | Full         | Powder / Trail / Work |



9008U 341 Studs

**NEW**

**NEW**

# GETTING THE JOB DONE!

*There's no utility track more ready, willing and capable than a Camoplast. Deep snow floatation, wide track designs and the traction needed to perform when there's work to be done.*



## RipSaw Full | Highly aggressive full profile for superior forward traction in a wide variety of snow conditions

**NEW**

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use       |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------------|
| 9002U | 20" x 156" (51 cm x 396 cm) | 1.25" (3,2 cm) | 68 lbs (31 kg)  | Full         | Powder / Trail / Work |

## Explore 725 | External drive for reliable replacement on utility specific snowmobiles

**NEW**

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9011U | 15" x 139" (38 cm x 353 cm) | .725" (1,8 cm) | 45 lbs (20 kg)  | Full         | On / Off Trail  |

## WideTrack | Best for heavy duty hauling featuring extra lateral stability and traction.

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use       |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------------|
| 9881U | 20" x 156" (51 cm x 396 cm) | 1.25" (3 cm)   | 71 lbs (32 kg)  | Full         | Powder / Trail / Work |
| 9008U | 20" x 156" (51 cm x 396 cm) | 1.25" (3 cm)   | 72 lbs (33 kg)  | Full         | Powder / Trail / Work |

9008U ICE Tech Series  
341 Studs

## Explore | Full-block, extra traction profile for utility sleds.

| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9806U | 15" x 156" (38 cm x 396 cm) | 1.0" (2,5 cm)  | 49 lbs (22 kg)  | Full         | Powder / Trail  |



# GET UP AND GO

The vertical challenge requires gravity defying pull to reach the high mark. The mountain offers a ride unlike any other, which is why Camoplast offers a variety of tracks that perform in the deep snow unlike any other.

## Maverick

*Next generation Mountain Track designed to provide outstanding performance in deep bottomless powder, while maintaining transit capability on hard pack.*

**NEW**




Top portion of profile designed to bend, compacting snow versus "cutting" and trenching, providing optimal performance in powder.



Rigid columns, "fingers" strategically positioned at the ends of profiles provides optimum performance in hard packed snow.

| Model | Track Dimensions            | Profile Height | Shipping Weight | Drive Pitch | Clip Config. | Recommended Use    |
|-------|-----------------------------|----------------|-----------------|-------------|--------------|--------------------|
| 9980M | 16" x 162" (40 cm x 411 cm) | 2.25" (2,5 cm) | 55 lbs (25 kg)  | 3"          | Pace 3       | Powder / Hard Pack |
| 9981M | 15" x 166" (38 cm x 422 cm) | 2.25" (2,5 cm) | 54 lbs (24 kg)  | 3"          | Pace 3       | Powder / Hard Pack |

## Challenger Extreme | Deep snow extreme performance with 3-inch drive pitch, now in multiple profile heights



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config.           | Recommended Use    |
|-------|-----------------------------|----------------|-----------------|------------------------|--------------------|
| 9936M | 16" x 144" (41 cm x 366 cm) | 2.5" (6,4 cm)  | 57 lbs (26 kg)  | Full                   | Powder / firm snow |
| 9942M | 15" x 144" (38 cm x 366 cm) | 2.5" (6,4 cm)  | 54 lbs (24 kg)  | Full                   | Powder / firm snow |
| 9943M | 15" x 162" (38 cm x 411 cm) | 2.5" (6,4 cm)  | 59 lbs (27 kg)  | Full                   | Powder / firm snow |
| 9944M | 16" x 162" (41 cm x 411 cm) | 2.5" (6,4 cm)  | 62 lbs (28 kg)  | Full                   | Powder / firm snow |
| 9951M | 15" x 150" (38 cm x 381 cm) | 2.5" (6,4 cm)  | 56 lbs (25 kg)  | Full                   | Powder / firm snow |
| 9952M | 16" x 150" (41 cm x 381 cm) | 2.5" (6,4 cm)  | 58 lbs (26 kg)  | Full                   | Powder / firm snow |
| 9974M | 15" x 156" (38 cm x 396 cm) | 2.5" (6,4 cm)  | 57 lbs (26 kg)  | Full                   | Powder / firm snow |
| 9975M | 16" x 156" (41 cm x 396 cm) | 2.5" (6,4 cm)  | 60 lbs (27 kg)  | Full                   | Powder / firm snow |
| 9984M | 15" x 141" (38 cm x 358 cm) | 2.25" (5,7 cm) | 47 lbs (21 kg)  | Pace 2 / 1.5" (3,8 cm) | Powder / firm snow |
| 9985M | 15" x 153" (38 cm x 388 cm) | 2.25" (5,7 cm) | 50 lbs (23 kg)  | Pace 2 / 1.5" (3,8 cm) | Powder / firm snow |
| 9986M | 15" x 162" (38 cm x 411 cm) | 2.25" (5,7 cm) | 53 lbs (24 kg)  | Pace 2 / 1.5" (3,8 cm) | Powder / firm snow |

All Model 3.0" Drive Pitch

## Challenger | Proven powder performance for a wide range of mountain snow conditions. The benchmark of mountain tracks



| Model | Track Dimensions            | Profile Height | Shipping Weight  | Clip Config. | Recommended Use    |
|-------|-----------------------------|----------------|------------------|--------------|--------------------|
| 9788M | 15" x 141" (38 cm x 358 cm) | 2.0" (5 cm)    | 52 lbs (24 kg)   | Full         | Powder / firm snow |
| 9797M | 15" x 136" (38 cm x 345 cm) | 2.0" (5 cm)    | 50 lbs (23 kg)   | Full         | Powder / firm snow |
| 9798M | 15" x 121" (38 cm x 307 cm) | 2.0" (5 cm)    | 45 lbs (20 kg)   | Full         | Powder / firm snow |
| 9808M | 15" x 156" (38 cm x 396 cm) | 2.0" (5 cm)    | 53 lbs (24 kg)   | Full         | Powder / firm snow |
| 9875M | 15" x 144" (38 cm x 366 cm) | 2.0" (5 cm)    | 51 lbs (23 kg)   | Full         | Powder / firm snow |
| 9876M | 15" x 151" (38 cm x 384 cm) | 2.0" (5 cm)    | 54 lbs (24 kg)   | Full         | Powder / firm snow |
| 9884M | 15" x 159" (38 cm x 404 cm) | 2.0" (5 cm)    | 57 lbs (26 kg)   | Full         | Powder / firm snow |
| 9899M | 16" x 144" (41 cm x 366 cm) | 2.0" (5 cm)    | 55 lbs (25 kg)   | Full         | Powder / firm snow |
| 9919M | 16" x 151" (41 cm x 384 cm) | 2.0" (5 cm)    | 57.5 lbs (26 kg) | Full         | Powder / firm snow |
| 9920M | 16" x 159" (41 cm x 404 cm) | 2.0" (5 cm)    | 60.5 lbs (27 kg) | Full         | Powder / firm snow |
| 9939M | 16" x 144" (41 cm x 366 cm) | 2.313" (6 cm)  | 57.5 lbs (26 kg) | Full         | Powder / firm snow |
| 9940M | 16" x 151" (41 cm x 384 cm) | 2.313" (6 cm)  | 60.5 lbs (27 kg) | Full         | Powder / firm snow |
| 9941M | 16" x 159" (41 cm x 404 cm) | 2.313" (6 cm)  | 63.5 lbs (29 kg) | Full         | Powder / firm snow |
| 9979M | 16" x 162" (41 cm x 411 cm) | 2.313" (6 cm)  | 64.5 lbs (29 kg) | Full         | Powder / firm snow |
| 9977M | 15" x 162" (38 cm x 411 cm) | 2.0" (5 cm)    | 58 lbs (26 kg)   | Full         | Powder / firm snow |

## Finger | Aggressive mountain track for hard surfaces. Best for wind-blown and packed snow, spring conditions, and climbing.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use            |
|-------|-----------------------------|----------------|-----------------|--------------|----------------------------|
| 9889M | 15" x 144" (38 cm x 366 cm) | 2.0" (5 cm)    | 50 lbs (23 kg)  | Full         | Packed snow / Hillclimbing |
| 9890M | 15" x 151" (38 cm x 384 cm) | 2.0" (5 cm)    | 53 lbs (24 kg)  | Full         | Packed snow / Hillclimbing |
| 9891M | 15" x 159" (38 cm x 404 cm) | 2.0" (5 cm)    | 57 lbs (26 kg)  | Full         | Packed snow / Hillclimbing |
| 9871M | 15" x 144" (38 cm x 366 cm) | 2.25" (5,7 cm) | 56 lbs (25 kg)  | Full         | Packed snow / Hillclimbing |
| 9872M | 15" x 151" (38 cm x 384 cm) | 2.25" (5,7 cm) | 60 lbs (27 kg)  | Full         | Packed snow / Hillclimbing |
| 9885M | 15" x 159" (38 cm x 404 cm) | 2.25" (5 cm)   | 63 lbs (29 kg)  | Full         | Packed snow / Hillclimbing |

## Series IV | Exclusive 2.125" profile height mountain track



| Model | Track Dimensions            | Profile Height  | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|-----------------|-----------------|--------------|-----------------|
| 9978M | 15" x 159" (38 cm x 404 cm) | 2.125" (5,4 cm) | 57 lbs (26 kg)  | Full         | Powder          |

# TRADITIONAL TOURING

Experience that long haul winter ride with confidence. Camoplast Touring Tracks have been offering return tickets to touring sledders for many years. The classic designs, good reliability, coupled with good handling, all combine to make your destination riding a fun experience.



## Energy | Light weight, economical replacement track.



| Model     | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-----------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9793T     | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 32 lbs (15 kg)  | Every 3"     | Trail           |
| 9794T     | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 36 lbs (16 kg)  | Every 3"     | Trail           |
| 9793T144* | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 32 lbs (15 kg)  | Every 3"     | Trail           |

\* TRACKtion Control System™

## DuraSport 530 | External drive for a reliable replacement on older sleds.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9754T | 15" x 114" (38 cm x 290 cm) | 0.53" (1,3 cm) | 36 lbs (16 kg)  | Full guided  | Trail           |
| 9755T | 15" x 114" (38 cm x 290 cm) | 0.53" (1,3 cm) | 30 lbs (14 kg)  | Full         | Trail           |
| 9756T | 15" x 114" (38 cm x 290 cm) | 0.53" (1,3 cm) | 34 lbs (15 kg)  | Full         | Trail           |

## DuraSport 725 | Shorter length, durable full-block profile design.



| Model     | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-----------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9783T     | 15" x 136" (38 cm x 345 cm) | .725" (1,8 cm) | 41 lbs (19 kg)  | Full         | Trail           |
| 9783T162* | 15" x 136" (38 cm x 345 cm) | .725" (1,8 cm) | 41 lbs (19 kg)  | Full         | Trail           |
| 9791T     | 15" x 121" (38 cm x 307 cm) | .725" (1,8 cm) | 36 lbs (16 kg)  | Full         | Trail           |
| 9791T144* | 15" x 121" (38 cm x 307 cm) | .725" (1,8 cm) | 36 lbs (16 kg)  | Full         | Trail           |
| 9796T     | 15" x 116" (38 cm x 295 cm) | .725" (1,8 cm) | 37 lbs (17 kg)  | Full         | Trail           |

\* TRACKtion Control System™

## DuraSport 1000 | Economical, aggressive, and durable full-block profile design.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config.   | Recommended Use |
|-------|-----------------------------|----------------|-----------------|----------------|-----------------|
| 9753T | 15" x 121" (38 cm x 307 cm) | 1.0" (2,5 cm)  | 38 lbs (17 kg)  | Full / Notched | Trail / Powder  |
| 9863T | 15" x 136" (38 cm x 345 cm) | 1.0" (2,5 cm)  | 43 lbs (20 kg)  | Full / Notched | Trail / Powder  |

## DuraSport 1187 | General replacement track for full-block profile design for loose snow.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------|
| 9781T | 15" x 136" (38 cm x 345 cm) | 1.187" (3 cm)  | 49 lbs (22 kg)  | Full         | Powder / Trail  |
| 9792T | 15" x 121" (38 cm x 307 cm) | 1.187" (3 cm)  | 42 lbs (19 kg)  | Full         | Powder / Trail  |

# OUR TRACKS LEAD TO VICTORY!

From the hole-shot to the finish line, Camoplast digs deep, and holds the line right through to claim victory by delivering the best track technology available. Whether it is snow cross, oval, drag, or hill cross, Camoplast is proud to be the track of choice for all winning racing teams.



## Ice Ovals & Le Mans Series | Maximum performance racing tracks for ice / hard packed ovals.

**NEW**



| Model            | Track Dimensions              | Profile Height | Shipping Weight    | Clip Config. | Recommended Use |
|------------------|-------------------------------|----------------|--------------------|--------------|-----------------|
| 9812R            | 15" x 121" (38 cm x 307 cm)   | .525" (1,5 cm) | 33 lbs (15 kg)     | Full / oval  | Ovals / LeMans  |
| 9844R            | 15" x 121" (38 cm x 307 cm)   | .725" (2 cm)   | 36 lbs (16 kg)     | Full / oval  | Ovals / LeMans  |
| 9845R            | 15" x 121" (38 cm x 307 cm)   | .725" (2 cm)   | 36 lbs (16 kg)     | Full / oval  | Ovals           |
| 9927R            | 14" x 121" (36 cm x 307 cm)   | .725" (2 cm)   | 34 lbs (15,5 kg)   | Full / oval  | Ovals / LeMans  |
| 9982R <b>NEW</b> | 13.5" x 116" (34 cm x 295 cm) | .725" (2 cm)   | 27.5 lbs (12,5 kg) | Full / oval  | Ovals / LeMans  |
| 9983R <b>NEW</b> | 13.5" x 116" (34 cm x 295 cm) | .725" (2 cm)   | 27 lbs (12 kg)     | Full / oval  | Ovals / LeMans  |
| 9995R <b>NEW</b> | 15" x 116" (38 cm x 295 cm)   | .725" (2 cm)   | 30.5 lbs (14 kg)   | Full / oval  | Ovals / LeMans  |
| 9996R <b>NEW</b> | 15" x 116" (38 cm x 295 cm)   | .725" (2 cm)   | 30 lbs (13,5 kg)   | Full / oval  | Ovals / LeMans  |
| 9997R            | 15" x 121" (38 cm x 307 cm)   | .725" (2 cm)   | 36 lbs (16 kg)     | Full / oval  | Ovals / LeMans  |

## Grass / Ice Drag | Low profile, maximum performance racing track for grass and ice.



| Model | Track Dimensions              | Profile Height | Shipping Weight | Clip Config.     | Recommended Use  |
|-------|-------------------------------|----------------|-----------------|------------------|------------------|
| 9810R | 15" x 121" (38 cm x 307 cm)   | .525" (1,5 cm) | 28 lbs (13 kg)  | No holes / clips | Grass / Ice Drag |
| 9811R | 15" x 121" (38 cm x 307 cm)   | .525" (1,5 cm) | 33 lbs (15 kg)  | Full / flat      | Grass / Ice Drag |
| 9861R | 15" x 136" (38 cm x 345 cm)   | .525" (1,5 cm) | 32 lbs (15 kg)  | No holes / clips | Grass / Ice Drag |
| 9862R | 15" x 136" (38 cm x 345 cm)   | .525" (1,5 cm) | 37 lbs (17 kg)  | Full / flat      | Grass / Ice Drag |
| 9902R | 13.5" x 128" (34 cm x 325 cm) | .525" (1,5 cm) | 33 lbs (15 kg)  | Full / flat      | Grass / Ice Drag |
| 9904R | 13.5" x 128" (34 cm x 325 cm) | .525" (1,5 cm) | 27 lbs (12 kg)  | No holes / clips | Grass / Ice Drag |
| 9926R | 14" x 121" (36 cm x 307 cm)   | .525" (1,5 cm) | 31 lbs (14 kg)  | Full / flat      | Grass / Ice Drag |
| 9929R | 13.5" x 136" (34 cm x 345 cm) | .525" (1,5 cm) | 29 lbs (13 kg)  | No holes / clips | Grass / Ice Drag |
| 9937R | 13.5" x 136" (34 cm x 345 cm) | .525" (1,5 cm) | 34 lbs (15 kg)  | Full / flat      | Grass / Ice Drag |
| 9976R | 13.5" x 144" (34 cm x 366 cm) | .525" (1,5 cm) | 31 lbs (14 kg)  | No holes / clips | Grass / Ice Drag |

## Asphalt Drag | Slick / no profiles, using soft rubber compound for ultimate traction on pavement.



| Model | Track Dimensions                | Profile Height | Shipping Weight | Clip Config.     | Recommended Use |
|-------|---------------------------------|----------------|-----------------|------------------|-----------------|
| 9802R | 15" x 121" (38 cm x 307 cm)     | .625" (1,6 cm) | 53 lbs (24 kg)  | No holes / clips | Asphalt         |
| 9895R | 10.625" x 121" (27 cm x 307 cm) | .625" (1,6 cm) | 33 lbs (15 kg)  | No holes / clips | Asphalt         |
| 9896R | 10.625" x 128" (27 cm x 325 cm) | .625" (1,6 cm) | 35 lbs (16 kg)  | No holes / clips | Asphalt         |
| 9897R | 10.625" x 136" (27 cm x 345 cm) | .625" (1,6 cm) | 37 lbs (17 kg)  | No holes / clips | Asphalt         |

## SnowCross / Hill Cross / Hybrid | Hybrid profile for max acceleration, shorter width for better handling.



| Model | Track Dimensions            | Profile Height | Shipping Weight | Clip Config. | Recommended Use       |
|-------|-----------------------------|----------------|-----------------|--------------|-----------------------|
| 9900R | 14" x 121" (38 cm x 307 cm) | 1.5" (1,5 cm)  | 35 lbs (16 kg)  | Every 3rd    | Snowcross / Hillcross |
| 9901R | 14" x 136" (38 cm x 307 cm) | 1.5" (1,5 cm)  | 41 lbs (16 kg)  | Every 3rd    | Snowcross / Hillcross |

Perinteinen joka kelin matto, kisaan ja vapaa-aikaan.

2 YEAR  
WARRANTY



- 04-9818 38 x 307 cm \*
- 04-9828 38 x 307 cm pehmeä \*
- 04-9819 38 x 345 cm \*
- 04-9873 38 x 366 cm \*
- 04-9874 38 x 384 cm \*


**32 m/m**



- 04-9003 38 x 365 cm \*
- 04-9004 38 x 384 cm \*
- 04-9005 38 x 403 cm \*

**38 m/m**

Mattouutus, joka on tehty sekä reitille että pehmeälle. Harjan tyvi ohut joten pyörii kevyesti. Kaikki reiät auki mutta vain joka kolmannessa solki.



04-9803 38 x 307 cm \*  
04-9930 38 x 307 cm \*  
04-9800 38 x 345 cm \*

**38 m/m**


Tätä telaa on valmistettu lähes 10 vuotta, edelleen maineensa veroinen kisasatto



04-9933 41 x 345 cm \*

**45 m/m**

Uutuus leveiden mattojen valikoimaan, huomaa leveys. Kaikki soljet.



- 04-9921 38 x 307 cm \*
- 04-9922 38 x 345 cm \*
- 04-9925 38 x 403 cm \*

**32 m/m**



- 04-9960 36 x 325 cm \*

**25 m/m**



04-9830 38 x 307 cm \*  
04-9831 38 x 345 cm \*

**25 m/m**

Hyvin monessa tapauksessa tämä olisi parempi valinta kuin se tyypillinen 32 mm.



04-9854 38 x 307 cm  
04-9858 38 x 345 cm

**32 m/m**

Kuvasta huolimatta ei ole varastonimike. Vain tilaamalla.

2 YEAR WARRANTY



**25 m/m**

04-9928 38 x 307 cm \*  
04-9950 38 x 345 cm \*


2 YEAR WARRANTY



**32 m/m**


04-9993 38 x 307 cm \*  
04-9000 38 x 345 cm \*





**32 m/m**

**04-9002\* 50 x 396 cm**  
Vetonappulat myös keskellä.



**04-9008\* 50 x 396 cm**  
288 nastaa

**32 m/m**



Ylivoimainen pito, ja voitelee liukukiskot samalla.



**04-9011 38 x 353 cm \***  
**Tundra, Alpine, Cheyenne, Scandic R**


**18 m/m**



**04-9881**  
**Tämä malli on muutettu nastamatoksi. Ei saa enää.**


04-9798 38 x 307 cm  
04-9797 38 x 345 cm \*  
04-9808 38 x 396 cm \*

52 m/m



04-9806 38 x 396 cm \*

25 m/m




**04-9980 40 x 411 cm**  
Pyörrien jako 3".  
Ei varastonimike, tilattava.

**57 m/m**



**04-9936 41 x 366 cm**  
Pyörrien jako 3". Ei varastonimike. Tilattava.

**64 m/m**



**04-9889 38 x 366 cm**  
Ei ole varastonimike. Tilattava.

**52 m/m**




**04-9978\* 38 x 403**

**56 m/m**

04-9793 38 x 307 cm \*

04-9794 38 x 345 cm \*

**25 m/m**



04-9754 38 x 290 cm iso aukko

04-9755 38 x 290 cm pieni aukko \*

04-9756 38 x 290 cm pieni aukko \*

**19 m/m**

**04-9796 38 x 295 cm**  
Lyhyt Yamahan tela, jatka liukuja ja  
käytä 307 pitkää telaa


**19 m/m**



**04-9753 38 x 307 cm \***  
**04-9863 38 x 345 cm \***

**25 m/m**


**Kotimaisiin kiihdytyskisoihin.**



**04-9792 38 x 307 cm \***  
**04-9781 38 x 345 cm \***


**32 m/m**

**Le mans kisasarja. Ovaali.**



**04-9995 38 x 295 cm**  
Ei varastonimike. Tilattava.

**15 m/m**



**04-9966 36 x 325 cm \***  
**Arctic Cat**

**30 m/m**



**04-9900 36 x 307 cm \***  
**Polariksen kapea tela.**

**30 m/m**